



PennWhite

Foamdoctor G2951

foam control agent

technical data sheet

foam control agents - general grade

Foamdoctor G2951 is a powerful foam control agent based on a solution of polymers and non-ionic surfactants in a light mineral oil.

Foamdoctor G2951 controls foaming and aeration during paint manufacture, filling and application with a good compatibility in a wide range of solvent borne systems. It has a low viscosity for easy dispersibility with a long lasting efficiency.

TYPICAL PROPERTIES

Appearance:	Clear to slightly hazy colourless liquid
IR Spectra:	Conforms to reference
pH of a 1% solution:	6.0 – 7.0

APPLICATION

Foamdoctor G2951 should be used as received. A split addition is recommended, adding 1/3 to 2/3 during pigment dispersion, the remainder during let down. Suggested dosage for typical applications:

Application	Area	Dosage
Surface coatings	Clear wood varnishes	0.05 – 0.2%
	Two – pack epoxies	0.1 – 0.3%
	Unsaturated polyesters	0.1 – 0.3%

PACKAGING

Foamdoctor G2951 is available in 20kg packs and 165kg drums.

SHELF LIFE AND STORAGE CONDITIONS

Keep container tightly closed. Store in a cool dry place between 5°C and 35°C. Protect from frost. Shelf life is 12 months in unopened containers.

(OPA2/F2)

TDS: 103

Issue: 04

Revised: 07/03/2014

Page 1 of 1

For additional technical or safety advice call us on 01606 734820 or email info@pennwhite.co.uk

PennWhite Ltd

Aston Way

Midpoint 18 Business Park

Middlewich, CW10 0HS

Telephone: +44 (0)1606 734820

Fax: +44 (0)1606 837867

Email: info@pennwhite.co.uk

Website: www.pennwhite.co.uk

